


# **Pricelist 2024**

Effective from 1st April, 2024



	Wireless Push Button Indicator and Controller.	4
	Tower Light & Andon System	5-8
	Buzzer & Hooter	9
A BOTTON	16mm Push Button	10
WATER THE STATE OF	Crane Pendant	.11
Harry Harry	LED Panel Light	12
	Machine Light	13
	Limit Switch	14-15
	Elevator	16
	Accessories	17

# Wireless Push Button, Indicator & Controller



# Wireless Push Button (Range Max 300 Meter \*\*)

	Sr. No	Item	Part No.	MRP (INR)
	1	Transmitter (1 Push Button with 23A Alkaline Battery)	IRPLACD05	
23 250 mg	2	Reciever 24V DC with 2 NO Relay (6A)	IRFLZDD03	9000

<sup>\*\*</sup> With obstacles 100mtr, without obstacles 300mtr

# **Temperature Indicator**

Sr. No	Item	Part No.	MRP (INR)
1	Temperature Indicator 22.5mm Diameter 240V AC with Sensor with 1 Meter Cable	ETAR240A	700


# Voltage Indicator

Sr. No	Item	Part No.	MRP (INR)
1	Voltage Indicator 22.5mm DIA 240V AC	EVTR240A	390

# **Humidity Controller**

Sr. No	Item	Part No.	MRP (INR)
24V	Humidity Controller Dinrail Mount 24-240V AC/DC with Inbuilt Sensor	ICD01VAHR224C	2950

# Tower Light & **Andon System**



Pro Tower Light (Pre-Wired) - 50mm Diameter

Pro Tower Light (Pre-Wired) - 70mm Diameter





Tower Light (12V AC/DC, 24V AC/DC, 110V AC, 240V AC)			
	Permanent Illumination	With Buzzer (INR)	Without Buzzer (INR)
Normal Base (60mm and	Single Colour	1315	1005
	Two Colour	1837	1527
	Three Colour	2353	2043

	Permanent Illumination	With Buzzer (INR)	Without Buzzer (INR)
	Single Colour	1315	1005
Normal Base (60mm and 110mm)	Two Colour	1837	1527
	Three Colour	2353	2043
	Four Colour	2878	2568
	Five Colour	3397	3087

Description (50mm Diameter Tower Light)	Part No.
3 Colour without Buzzer 24V AC/DC	TW15U1100L
3 Colour with Buzzer 24V AC/DC	TW15U11Z10L
3 Colour without Buzzer 240V AC	TW15X1100L
3 Colour with Buzzer 240V AC	TW15X11Z1L

Tower Light (12V AC/DC, 24V AC/DC, 110V AC, 240V AC)			
	Permanent Illumination	With Buzzer (INR)	Without Buzzer (INR)
Normal Base (60mm and 110mm)	Single Colour	1565	1255
	Two Colour	2087	1777
	Three Colour	2603	2293
	Four Colour	3128	2818
	Five Colour	3647	3337

Description (70mm Diameter Tower Light)	Part No.
3 Colour without Buzzer 24V AC/DC	TW16U1100L
3 Colour with Buzzer 24V AC/DC	TW16U11Z10L
3 Colour without Buzzer 240V AC	TW16X1100L
3 Colour with Buzzer 240V AC	TW16X11Z1L

<sup>\*</sup> For Customised Tower Light Solutions please contact our sales team for pricing

# Stackable Tower Light (Modular Type) - IP65 & UL Approved



Siren Flasher - 100 dB Sound Output



Voltage	Part No.	MRP (INR)
240V AC	IA12M34R240A	2041
110V AC	IA12M34R110A	2041
24V DC	IA12M34R024D	2041

Siren-100 dB Sound Output



Voltage	Part No.	MRP (INR)
240V AC	IA00040C240A	1333
110V AC	IA00040C110A	1333
24V DC	IA00040C024C	1333

<sup>\*</sup> For L Clamp Tower Light please contact our sales team for pricing

Tower Light (12V AC/DC, 24V AC/DC, 110V AC, 240V AC)				
Permanent With Buzzer Without Buzzer Illumination				
Normal Base (60mm and 110mm)	Single Colour	1890	1119	
	Two Colour	2469	1697	
	Three Colour	3048	2271	
	Four Colour	NA	2854	

### For Customised Tower Light Variations Refer Below Prices

	Tower Light Without Buzzer			
No. of Stack	Tower Light Description	MRP (INR)		
	1 Stack Tower Light Without Buzzer			
1	Single Unit Permanent	1119		
1	Single Unit Blinking	1272		
1	Single Unit Revolving	1472		
	2 Stack Tower Light Without Buzzer			
2	Two Units Permanent	1697		
2	Two Units Blinking	2010		
2	One Unit Permanent & One Unit Blinking	1854		
2	Two Units Revolving	2325		
2	One Unit Permanent & One Revolving	2009		
2	One Unit Blinking & One Revolving	2163		
	3 Stack Tower Light Without Buzzer			
3	Three Units Permanent	2271		
3	Two Units Permanent & One Unit Blinking	2430		
3	One Unit Permanent & Two Unit Blinking	2588		
3	Three Units Blinking	2744		
3	Three Units Revolving	3213		
3	Two Units Permanent & One Revolving	2582		
3	Two Units Blinking & One Revolving	2894		
3	One Unit Permanent, One Blinking, One Revolving	2738		
3	One Unit Permanent & Two Revolving	2898		
3	One Unit Blinking & Two Revolving	3051		
	4 Stack Tower Light Without Buzzer			
4	Four Units Permanent	2854		
4	Three Units Permanent & One Unit Blinking	3063		
4	Two Units Permanent & Two Unit Blinking	3168		
4	One Unit Permanent & Three Unit Blinking	3325		

Tower Light Without Buzzer			
No. of Stack	Tower Light Description	MRP (INR)	
4	Four Units Blinking	3479	
4	Three Units Permanent & One Revolving	3156	
4	Two Units Permanent & Two Revolving	3473	

	Tower Light With Buzzer			
No. of Stack	Tower Light Description	MRP (INR)		
	2 Stack Tower Light With Buzzer			
2	Single Unit Permanent With Buzzer	1890		
2	Single Unit Blinking With Buzzer	2042		
2	Single Unit Revolving With Buzzer	2195		
	3 Stack Tower Light With Buzzer			
3	Two Units Permanent With Buzzer	2469		
3	Two Units Blinking With Buzzer	2783		
3	One Unit Permanent & One Unit Blinking With Buzzer	2629		
3	Two Units Revolving	3091		
3	One Unit Permanent & One Revolving	2775		
3	One Unit Blinking & One Revolving	2930		
	4 Stack Tower Light With Buzzer			
4	Three Units Permanent With Buzzer	3048		
4	Two Units Permanent & One Unit Blinking With Buzzer	3202		
4	One Unit Permanent & Two Unit Blinking With Buzzer	3402		
4	Three Units Blinking With Buzzer	3527		
4	One Unit Permanent, One Blinking, One Revolving	3503		

### **Tower Light Part Number Decoding** R - Red 1 - Base A - Amber U - 24V AC/DC 1 - Perma-60mm G - Green X - 240V AC nent $\mathsf{TW}$ Y - Yellow 2 - Blinking T - 12V AC/DC 2 - Base B - Blue W - 110V AC 3 - Revolving 110mm W - White Z - Buzzer

### For Example:

TW1UR1A1G1Z1 - Tower Light Small Base 24V AC/DC Red-Amber-Green Permanent Illumination with Permanent Buzzer TW1XR1 - Tower Light Small Base 240V AC Red Permanent Illumination without Buzzer

TW1XR1Z1 - Tower Light Small Base 240V AC Red Permanent Illumination with Permanent Buzzer

TW1UR1G1Z1 - Tower Light Small Base 24V AC/DC Red-Green Permanent Illumination with Permanent Buzzer

TW1UR1G1 - Tower Light Small Base 24V AC/DC Red-Green Permanent Illumination without Buzzer

<sup>\*</sup> For L Clamp Base and Foldable Base Order Base and Lens Seperately

# Spare Prices

Tower Light Base Selection



Luminous Lens Selection



Buzzer Lens Selection



Base	Part Number	MRP
Small Base 60mm	ES5001	540
Big Base 110mm	ES5002	540

Lens (Any Colour)	MRP
Permanent Illumination	580
Blinking Type	704
Revolving Type	908

Buzzer (Any Voltage)	MRP
Permanent	774
Intermittant	774

Part Number Decoding (Lens)				
ES50L	R - Red A - Amber G - Green Y - Yellow B - Blue W - White	1 - Permanent 2 - Blinking 3 - Revolving	U - 24V AC/DC X - 240V AC T - 12V AC/DC W - 110V AC	

Part Number Decoding (Buzzer)			
ES50Z	1 - Permanent 2 - Intermittant	U - 24V AC/DC X - 240V AC T - 12V AC/DC W - 110V AC	

	Accessories	Part No.	MRP (INR)
Tower Light With Different Mounting			
EJOSE E	Base Mounted	ES5019	437

Accessories	Part No.	MRP (INR)
Wall Mounted Bracket	ES122012A	305

Accessories	Pole Height	Part No.	MRP (INR)
Swiveling Base	100mm	ES60004	1051
	200mm	ES60006	1375
	400mm	ES60010	1712

	Pole Height	Part No.	MRP (INR)
L Clamp	100mm	ES70004	1185
	200mm	ES70006	1803
	400mm	ES70010	2014

Multicolour Tower Lights (3 Colour in 1 Lens)					
Accessories	Buzzer	Voltage	Part No.	MRP (INR)	
Multicolour Tower Light	Without Buzzer	24 V DC	TW11UWDRGA10G	1330	
	With Buzzer	24 V DC	TW11UWDRGYZ10G	1786	
	Without Buzzer	240 V AC	TW10UWDRGA10G	1330	
	With Buzzer	240 V AC	TW10UWDRGYZ10G	1786	

# Wireless Andon System for Industry 4.0 Applications



For Prices Please Contact our Sales Team

Sr. No	Item
1	ANDON SYSTEM WITH SINGLE FAULT DETECTION
2	ANDON SYSTEM WITH FIVE FAULT DETECTION

# **Buzzer & Hooter**



# Flasher with Buzzer (22.5mm)

Sr. No	Item	Part No.	MRP (INR)
1	Flasher with Buzzer Red 24V DC	EG15RI10R024D	335
2	Flasher with Buzzer 240V AC	EG15RI10R240A	335
3	Flasher with Buzzer Red 24-240V AC/DC	EG15RI10R224C	510

# 96 x 96 Hooter


	Part No.	Selection Code	Voltage	MRP (INR)
			650 Without Acknowledgement	
	IC01	F59C - Without Acknowledgement F60C - With Acknowledgement	248D - 24 V DC & 48 V DC 114A - 110 V AC & 240 V AC	750 With Acknowledgement

<sup>\*</sup> Hooter in Universal Voltage is also Available

# IP65 High dB Siren (130 dB at 1 Metre)

Part No.	MRP (INR)
IA00F104C024D	4800


# 16mm Push Button



	Part No.	Selection Code	SPDT / DPDT	Colour	Voltage	MRP (INR)
16mm Push Button Round - Illuminated	SRE03	FD - Momentary FF - Maintained	3 - 1 NO + 1 NC 26 - 2 NO + 2 NC	R - Red G - Green Y - Yellow A - Amber B - Blue W -White	024D - 24 V DC 240A - 240 V AC	350 Momentary 1 NO + 1 NC 415 Maintained 1 NO + 1 NC 390 Momentary 2 NO + 2 NC 445 Maintained 2 NO + 2 NC
16mm Push Button Square- Illuminated	SSE03	FD - Momentary FF - Maintained	3 - 1 NO + 1 NC 26 - 2 NO + 2 NC	R - Red G - Green Y - Yellow A - Amber B - Blue W -White	024D - 24 V DC 240A - 240 V AC	350 Momentary 1 NO + 1 NC 415 Maintained 1 NO + 1 NC 390 Momentary 2 NO + 2 NC 445 Maintained 2 NO + 2 NC
Protecting Shroud  HF102101 Round Square 90 Degree Open Close Type					108	
Rubber Shroud 19x19x12mm	HF192023					57

<sup>\*</sup> Selector Switch and Emergency Also Available

# **Crane Pendant**



# Wireless Crane Pendant


	Sr. No	Item	Part No.	MRP (INR)
	1	6 + 2 Single Speed with 24V DC Receiver	IRELZDD04 + IRTLLAD03	15000
	2	6 + 2 Single Speed with 110V AC Receiver	IRELZFA04 + IRTLLAD03	15000
77	3	6 + 2 Single Speed with 240V AC Receiver	IRELZGA04 + IRTLLAD03	15000
EDER D	4	6 + 2 Double Speed with 24V DC Receiver	IRELLDD08 + IRTLLAD07	25000
	5	6 + 2 Double Speed with 110V AC Receiver	IRELLFA08 + IRTLLAD07	25000
	6	6 + 2 Double Speed with 240V AC Receiver	IRELLGA08 + IRTLLAD07	25000

### **Crane Pendant**

	Sr. No	Item	Part No.	MRP (INR)
	1	3 Way Pendant Emergency, Up/Down Single Speed	EC3M01007	1896
	2	3 Way Pendant Emergency, Up/Down Double Speed	EC3M01008	2116
#	3	5 Way Pendant Emergency, Up/Down Single Speed, Right/Left Single Speed	EC5M01009	2822
Long	4	5 Way Pendant Emergency, Up/Down Double Speed, Right/Left Single Speed	EC5M01011	3042
	5	5 Way Pendant Emergency, Up/Down Double Speed, Right/Left Double Speed	EC5M01010	3262
	6	6 Way Pendant Emergency/Start, Up/Down Single Speed, Right/Left Single Speed	EC6M01020	3816
	7	6 Way Pendant Emergency Stop Turn to Release)/Start, Hoist/Low Double Speed, Right/Left Double Speed	EC6M01021	4255
	8	8 Way Pendant Emergency/Start, Up/Down Single Speed Right/Left Single Speed, For/Rev Single Speed	EC8M01022	4859
	9	8 Way Pendant Emergency/Start, Up/Down Single Speed Right/Left Single Speed, For/Rev Double Speed	EC8M01023	5079
	10	8 Way Pendant Emergency/Start, Up/Down Double Speed Right/Left Double Speed, For/Rev Double Speed	EC8M01024	5519

<sup>\*</sup> Customisation Avaliable.

# **Panel Light**



# Panel Light (Plastic Moulding with 0N-0FF Switch)





Led Panel Light with ON-OFF Switch, White Housing					
Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)	
240 V AC	IC24A03W240A	703	IC24A04W240A	808	
110 V AC	IC24A03W110A	703	IC24A04W110A	808	
24 V DC	IC24A03W024D	703	IC24A04W024D	808	
12 V DC	IC24A03W012D	703	IC24A04W012D	808	

Led Panel Light with ON-OFF Switch, Black Housing					
Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)	
240 V AC	IC24A03C240A	703	IC24A04C240A	808	
110 V AC	IC24A03C110A	703	IC24A04C110A	808	
24 V DC	IC24A03C024D	703	IC24A04C024D	808	
12 V DC	IC24A03C012D	703	IC24A04C012D	808	

# Led Tube Light





Size	Part No./ Description	MRP (INR)
4 Feet	IT520WCW4MS240A	675
4 reet	4 Feet LED Tube Light 20W, 240V AC	075
	IT512WCW2MSC240A00 / IT510WCW2MSP240A	540
2 Feet	2 Feet LED Tube Light 12W, 240V AC	540
7 5	IT505WCW1MSC240A00 / IT505WCWMSP240A	405
1 Feet	1 Feet LED Tube Light 05W, 240V AC	405
	IT503WCWBMSC240A00	-07
150 mm	150 mm LED Tube Light 03W, 240V AC	281

<sup>\* 48</sup>V DC Availiable

# **Machine Light**





# Machine Light (IP67 & 4G Vibration)

		Voltage	Watts	Size	Part No.	MRP (INR)
IP67 Machine		20-30 V DC	15W	800mm	IM15WAL024D	10800
	Lights	20-30 V DC	30W	1200mm	IM30WAJ024D	13100
		24 V DC	15W	Short Arm	IM15WAH024C	7700
	IP67 Work Lights	24 V DC	15W	Long Arm	IM15WAL024C	13100

Different Size, Voltage and Wattage Available (Please contact our sales team)

# **Limit Switch**














Part No. SLPBS3B4























Part No. SLPSS3B2 813



SLPSS3RM Part No. 813 MRP











### SLMPB Series (Metal body)

















### MLAS Series (Plastic body)



Part No.	MLASS3A1
MRP	450



	Part No.	MLASS3B2
)	MRP	489



-		
	Part No.	MLASS3C0
	MRP	390

14

# MNPS Series (Plastic body)



Part No. MNPSS3100D MRP 92





Part No. MNPSS3103C MRP 122



Part No. MNPSS3100GD 170




Part No.	MNPSS3100RD
MRP	170

109

# SLMB Series (Metal body)







SLMBS3A2 Part No. MRP 1623



SLMBS3F6 Part No. MRP 1454



SLMBS3F7 Part No. MRP 1454



Part No. SLMBS3A3 1454



Part No. SLMBS3C3 1750 MRP



Part No. SLMBS3B5 1919 MRP



Part No. SLMBS3C4 2010 MRP



SLMBS3C5 Part No. 1750



Part No. SLMBS3M3 1454



Part No. SLMBS3M4 MRP 1454



Part No. SLMBS3M5 1454

### SLMSB Series (Metal body)



Part No. SLMSBS3B4 1310



Part No. SLMSBS3E3 1310



Part No. SLMSBS3A1 MRP 1310



SLMSBS3F6 Part No. 1310

# MLPB Series (Plastic body)



MLPBS3A2 339



MLPBS3A3 Part No. MRP 359



MLPBS3C2 MRP 366



Part No. MLPBS3L3 334



Part No. MLPBS3L4 MRP



Part No. MLPBS3C1 366



MLPBS3E5 Part No. 383



Part No. HB482000A 65



Part No. MLPBS3C12



Part No.	MLPBS3C7
MRP	334



**Door Limit** Switch w/o Cover

Part No.	MLPSS3A5
MRP	175

**Door Limit Switch** with Cover

Part No.	MLPSS3A7
MRP	200

# **Elevator**



# Pit Switches





Part No.	Type of Switch	Contact	Cable Gland	Qty. of Cable Gland	Protecting Shroud	Mounting Bracket	MRP (INR)
JLFB0000	Mushroom Head Push Turn	1 NC	PG 13.5	2	1	MS Yellow Passivation	553
JL5C0000	Mushroom Head Push Turn	1 NO + 1 NC	PG 13.5	2	1	MS Yellow Passivation	630
JQFB0000	Mushroom Head Push Turn	1 NC	PG 13.5	1	1	NA	521
JFKE0000	Mushroom Head Push Turn	2 NC	PG 13.5	1	1	NA	598
JMJB0000	Mushroom Head Push Pull	1 NC	PG 13.5	2	NA	MS Yellow Passivation	635
JJJE0000	Mushroom Head Push Pull	2 NC	PG 13.5	1	NA	NA	680

## **LED Torch**







Part No.	Voltage	Cable Length	Hook	Wattage	MRP (INR)
IL24S40W240A	240V AC	2 Meter With Power Cord	With Hook	5W	844
IL24S56W240A	240V AC	3 Meter With Power Cord	With Hook	5W	891
IL24S22W240A	240V AC	5 Meter With Power Cord	With Hook	5W	985
IL24S55W240A	240V AC	3 Meter With Power Cord	Without Hook	5W	844
IL16N42W240A	240V AC	3 Meter With Power Cord	With Hook	9W	1260
IL24L52W240A	240V AC	1.5 Meter Without Power Cord	With Hook	5W	693
Charging Hand Lamp	Charging at 240V AC	NA	With Hook	9W	4200

# **Accessories**



Item	Part No.	MRP (INR)
DIN Rail Mounted Bracket for 22.5mm Push Button	HF120000A	110

60mm

60mm

ELFW110A

ELFW240A

387

387

110 V AC

240 V AC

Item	Part No.	MRP (INR)
22.5mm Panel Mount USB Socket	IDA01AACC	631

# Notes







### **Esbee Electrotech LLP**

Corporate Office: S-42/1, M.I.D.C Bhosari, Pune - 411026
Plant 1: S-42/1, M.I.D.C Bhosari, Pune - 411026, Maharashtra, India.
Plant 2: J-159, M.I.D.C Bhosari, Pune - 411026, Maharashtra, India.
Plant 3: C-29, M.I.D.C Ahmednagar - 414111, Maharashtra, India.
Email: info@esbee-electrotech.com | Website: www.esbee-electrotech.com



Product catalogue (Scan here)