



**YOUR PARTNER IN
ELECTRICAL CONTROL PANEL ACCESSORIES**



E-CATALOGUE

REJECT SINGLE USE PLASTIC

GREEN INDUSTRIAL REVOLUTION

PeCox uses only
Engineering Grade Recyclable
Thermoplastic We do not use any
form of Single Use Plastic
Thermoset plastic category such as
DMC, SMC, Bakelite, Mellamine, etc...

63

Countries have
extended producer
responsibility or
companies to take
back single-use
plastic from consumers

27

Countries have
banned specific
products like plates,
cups and straws or
material like polystyrene

8

Countries have
banned Microbeads,
which are plastic
particles less
than or equal to
5mm size

"The choices that we make today will
define our collective future"
...India has pledged to eliminate all
single use plastic by 2020 and
...so do We...



Save EARTH...Think **PeCOX**
Quality Never Dies

www.pecox.co.in






Who Are We

PeCOX is an upcoming name in the field of "Electrical Control Panel Accessories". Established in the year 2015, with an ultimate aim of serving the Control Panel Industry with an extremely Innovative Concept, Strategic Design saving Labor-cost bundled with Extraordinary Quality.

PeCOX has been started by a team of professionals who have rich expertise of plastic vertical, mechanical vertical & the practical experience in the Electrical Control panel industry. Product range is categorized into 4 verticals- Panel Hardware, Cable Termination, Cable Management & Marking and Polyamide Low Voltage bus bar supports.



Company Vision


At PeCOX, our objective is to create a range of world class Electrical Control Panel Accessories uniquely designed & crafted to achieve a sustainable growth with a key focus on the Environment. Our commitment to the Control Panel Industry.... "Distinctive & Compact Designs(which also saves Labor cost) Recyclable/Eco Friendly Raw materials, Better Insulation at Affordable Pricing".

Company Mission

At PeCOX, we understand the technical hitches in the traditionally enduring panel accessories and so have developed a range of products which help overcome these typical problems. Our endeavour is to develop world class Eco-Friendly panel accessories by substituting their basic raw material from THERMOSET to GLASS-FILLED ENGINEERING GRADE THERMOPLASTIC which exhibits:


- Recyclable in nature
- Superior degree of Mechanical & Electrical Strength
- High Tensile Strength

Unique & aesthetically astounding designs have been crafted keeping the mounting alike. Most of the products comply with RoHS directives & meet the requisite parameter of Ingression Protection (IP), High Voltage, Flame Retardant, Load Bearing Test, Torque Test etc as and where required duly tested by third party laboratories such as CPRI, Spectro, SGS etc. Taking into consideration all the aspects we have still tried to bridge the gap of price & quality by adopting the multi-cavity production technique.



PANEL AIR VENT - SCREW TYPE

MATERIAL	ENGINEERING GRADE THERMOPLASTIC
COLOR	PECOX - RAL7035/BLUE/ORANGE P-KONNECT - GREY



TECHNICAL DATASHEET

PRODUCT CODE	FRONT		SIZE(mm) BACK		PANEL MOUNTING		FAN MOUNTING SIZE(mm)		FILTER HEIGHT	FOR FAN SIZE (inch)
	A	B	C	D	E	F	G	H		
PAV/PKF01	131	131	127	127	90±3	90±3	105	105	25	4"
PAV/PKF02	185	185	180	180	134±5	134±5	155	155	27	6"
PAV/PKF03	238	238	231	231	170±3	170±3	203	202	31	8"

ECO - SERIES - P Konnect

PRODUCT CODE	LIST PRICE (INR)	UNIT	STANDARD PKG	MASTER PKG
PKF01	53.50	No.	1	300
PKF01 VP*	49.50	No.	10	300
PKF02	114.50	No.	1	150
PKF03	223.50	No.	1	80

*VP - Value Pack PKT = 10 Nos

PREMIUM - SERIES - PECOX


PRODUCT CODE	LIST PRICE (INR)	UNIT	STANDARD PKG	MASTER PKG
PAV01	78.50	No.	1	300
PAV01 VP*	75.00	No.	10	300
PAV02	187.00	No.	1	150
PAV03	360.00	No.	1	80

FAN ATTACHMENT UNIT

MATERIAL	ENGINEERING GRADE THERMOPLASTIC
COLOR	RAL7035 - Grey

WHY PECOX?

- > Fan Attachment Unit act as a Mounting unit for Fans wherein the air vents are not used.
- > Compatible with Air Vents PAV06/PAV02/PKF02/PAV02S making it a Fan Mounting Unit (Dome Type) panel air vent




TECHNICAL DATASHEET / PACKAGING / PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	SPECIFICATION	DIMENSIONS (mm)					STANDARD PKG	MASTER PKG
				A	B	C	D	E		
PAV06FA	108.00	No.	Suitable for Mounting 4" Fan	175	175	175	175	30	5	90

PANEL AIR VENT - SLEEK DESIGN

MATERIAL	ABS
GASKET	EPDM SPONGE RUBBER
COLOR	RAL7035/BLUE/ORANGE



💡 WHY PECOx?

- > "Curve Shaped" accelerates heat dissipation & protects from direct impact of dust.
- > Optional Internal Locking system of cover.
- > Optional for next Lower Size Fan mounting option.
- > Ip54 Protection / RoHS – Tested by Spectro Lab / SGS.

TECHNICAL DATASHEET

PRODUCT CODE	FRONT		SIZE(mm) BACK			PANEL MOUNTING		FAN MOUNTING PROVISION(mm)		FOR FAN SIZE(inch)	ADD FAN MOUNTING PROVISION (mm)		ADD FAN SIZE(Inch)
	A	B	C	D	T	E	F	G	H		I	J	
PAV00S	92	92	87	87	14	71	71	71	71	3"	NA	NA	NA
PAV01S	131	131	127	127	17	90	90	105	105	4"	NA	NA	3"
PAV02S	185	185	180	180	19	134	134	155	155	6"	110	110	4"

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	STANDARD PKG	MASTER PKG
PAV00S	64.00	No.	1	600
PAV01S	77.00	No.	1	300
PAV01S VP*	74.00	No.	1	300


PRODUCT CODE	LIST PRICE (INR)	UNIT	STANDARD PKG	MASTER PKG
PAV02S	174.00	No.	10	300
PAV03S	336.00	No.	1	80

*VP - Value Pack PKT = 10 Nos



💡 WHY PECOx?

- > IP 65 Protection - Best suitable for outdoor application.



PANEL AIR VENT CUM BREATHER

MATERIAL	POLYCARBONATE UV STABILIZED
GASKET	EPDM
COLOR	RAL7035 - GREY
IP RATING	Ip65

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PAV10UV	440.00	No.	IP 65 AIR VENT CUM BREATHER	10	20



PANEL AIR VENT - SNAP/PUSHFIT



MATERIAL

ABS

COLOR

RAL7035/BLUE/ORANGE

EPDM SPONGE RUBBER



WHY PECO?

- > "Curve Shaped" accelerates heat dissipation & protects from direct impact of dust.
- > Optional Internal Locking system of cover.
- > Optional for next Lower Size Fan mounting option.
- > Ip54 Protection/RoHS –Tested by Spectro Lab/ SGS

TECHNICAL DATASHEET

PRODUCT CODE	OVERALL SIZE(mm)		CUT OUT SIZE(mm)		SCREW MOUNTING PROVISION(mm)		FAN MOUNTING PROVISION(MM)		FOR FAN SIZ(inch)	ADD FAN MOUNTING PROVISION(mm)		FOR FAN ADD SIZE(Inch)
	A	B	C	D	E	F	G	H		I	J	
PAV04/PKF04	145	145	122.5	122.5	137	137	107.8	107.8	4"	NA	NA	NA
PAV06/PKF06	208	208	176.5	176.5	191	191	159.3	159.3	6"	107.8	107.8	4"
PAV07	254	254	222.5	222.5	239	239	202.9	202.9	8"	159.3	159.3	6"
PAV08	316	316	290.5	290.5	304	304	262.0	262.0	10"	202.9	202.9	8"

PREMIUM-SERIES-PECOX

PRODUCT CODE	LIST PRICE (INR)	UNIT	STANDARD PKG	MASTER PKG
PAV04	113.00	No.	1	240
PAV04 VP*	105.00	No.	10	240
PAV06	270.00	No.	1	90
PAV07	409.00	No.	1	55
PAV08	858.00	No.	1	30

ECO - SERIES - P Konnect

PRODUCT CODE	LIST PRICE (INR)	UNIT	STANDARD PKG	MASTER PKG
PKF04	84.00	No.	10	240
PKF06	183.75	No.	5	90



DRAWING POCKET

MATERIAL

ENGINEERING GRADE THERMOPLASTIC

COLOR

RAL7035 - Grey



WHY PECO?

- > Unique Design with provision of horizontal placement of A4 papers

TECHNICAL DATASHEET / PACKAGING / PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	MOUNTING DIMENSIONS	STANDARD PKG	MASTER PKG
PDP01	143.00	No.	298.23 x 149 mm	5	200

METER WINDOW GLASS - SCREW FIT

MATERIAL	CRYSTAL
GASKET	SPONGE RUBBER
COLOR	TRANSPARENT CLEAR




PKMG01

WHY PECO?

- > Pre-fitted "Sponge Rubber Gasket" in the meter glass, saves fitment time.

TECHNICAL DATASHEET / PACKAGING / PRICING


PRODUCT CODE	LIST PRICE (INR)	UNIT	SPECIFICATION	STANDARD PKG	MASTER PKG
PKMG01	35.00	No.	96 x 96 mm	20	600



PMG02

METER WINDOW GLASS - SNAP FIT

MATERIAL	CRYSTAL
GASKET	SPONGE RUBBER
COLOR	TRANSPARENT CLEAR



PMG03

WHY PECO?

- > Saves Labor time - No drilling & fixing screws.
- > Polycarbonate reduces the probability of Breakage during the transit.

- > UV Stabilized Polycarbonate material makes it more transparent & insurgents to any weather conditions.
- > RoHS- Certified

TECHNICAL DATASHEET / PACKAGING / PRICING


PRODUCT CODE	LIST PRICE (INR)	UNIT	OVERALL SIZE (mm)	CUT OUT SIZE (mm)	STANDARD PKG	MASTER PKG
PGM02	65.50	No.	96 x 96	92 x 92	20	600
PMG03	154.00	No.	118.5 x 211	92 x 184	5	300

LATCH TYPE/DB LOCK

MATERIAL	ENGINEERING GRADE THERMOPLASTIC
COLOR	PDB01 - LIGHT GREY (RAL 7035)
	PDB01DG - DARK GREY
	PDB01N - BLACK

WHY PECO?

- > Preeminent spring quality.
- > Side pillars on both the sides helps in self adjustment if any minor deviation in the cutout size.



PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	CUTOUT SIZE (mm)	STANDARD PKG	MASTER PKG
PDB01/ PDB01DG / PDB01N (Grey) (Dark Grey) (Black)	14.00	No	37.2 x 24.6	100	3000





PANEL LOCK - METTALIC

SIZE	22.5 mm
BODY	ZINC ALLOY (ZAMARK3)
INSERT	ZINC ALLOY (ZAMARK3)
LEVER	MS LEVER (CHROME PLATED)
CHUCKNUT	ZINC ALLOY(CHROME PLATED)
GASKET	EPDM

WHY PECOX?

- > Chucknut with Kurling for proper griping.
- > EPDM Gasket to provide IP54 protection.



PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	LEVER BEND (mm)	STANDARD PKG	MASTER PKG
PPL01/02/03/04/05 - 20/25	84.00	No.	20/25	25	600
PPL01/02/03/04/05 - 30/45	92.50	No.	30/45	25	600

PANEL KEY

MATERIAL	ZINC ALLOY (ZAMARK3)
INSERTS	CENTER PIN, MINUS, SQUARE TRIANGLE, HEXAGONAL



WHY PECOX?

- > Compact Design to accommodate easily in key-chain.

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	SPECIFICATION	STANDARD PKG	MASTER PKG
PPLK01/02/03/04/05	39.00	No.	22.5 mm	25	600



PANEL LOCK - KNOB TYPE

SIZE	22.5 mm
BODY	POLYAMIDE
KNOB	ALUMINUM DICASTING/ POLYAMIDE
LEVER	MS LEVER (CHROME PLATED)
CHUCKNUT	ZINC ALLOY(CHROME)/ POLYAMIDE
GASKET	EPDM
CUT-OUT	19.4 x 19.4 mm

WHY PECOX?

- > Knob Type lock is duly powder coated & in combination with polyamide body, reduces risk of corrosion.


PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	KNOB MATERIAL	CHUCKNUT TYPE	STANDARD PKG	MASTER PKG
PPLP-T1M	63.00	No.	Aluminum casting	ZINC	15	360
PPLP-T1P	60.00	No.	Aluminum casting	POLYAMIDE	15	360
PPLP-T2P	47.00	No.	Polyamide	POLYAMIDE	15	360

PANEL LOCK - POLYAMIDE

SIZE	22.5 mm
BODY	POLYAMIDE
INSERT	ALUMINUM/ZINC PRESS DICASTING
LEVER	MS LEVER (CHROME PLATED)
CHUCKNUT	ZINC ALLOY(CHROME)/ POLYAMIDE
GASKET	EPDM
PANEL CUT-OUT	19.4 x 19.4 mm

CENTER PIN/ MINUS/ TRIANGLE/ SQUARE/ HEXAGONAL



PPLPZ-M/P SERIES

PPLP0-M/P SERIES



PPLP1-P SERIES



Polyamide Chucknut



Zinc Chucknut

WHY PECOX?

- > Polyamide chucknut is spanner operated which ease the fastening process.
- > EPDM Gasket provides IP54 protection to the panels.
- > Zinc/Polyamide Heavy Chucknut with knurling provides proper gripping.
- > Powder Coated(RAL7035) Inserts contrast with the Panel Color, making it aesthetically better.

IP54 - TESTED.

TECHNICAL DATASHEET / PACKAGING / PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	INSERT MATERIAL	CHUCKNUT TYPE	STANDARD PKG	MASTER PKG
PPLPZ - 01/02/03/04/05M	52.25	No.	Zinc	Zinc	25	600
PPLPZ - 01/02/03/04/05P	50.50	No.	Zinc	Polyamide	25	600
PPLP - 01/02/05M	45.00	No.	Aluminum	Zinc	25	600
PPLP - 01/02/05P	42.50	No.	Aluminum	Polyamide	25	600
PPLP - 11/12/15P	37.50	No.	Nylone	Polyamide	25	600



PPLPRF-02



PPLPRF-T1

PANEL LOCK - RUST FREE

SIZE	22.5 mm
BODY	POLYAMIDE
INSERT	ALUMINUM DICASTING
LEVER	SS 304
CHUCKNUT	POLYAMIDE
SCREW	SS 304
GASKET	EPDM

WHY PECOX?

- > Salt spray test.

TECHNICAL DATASHEET / PACKAGING / PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	SPECIFICATION	STANDARD PKG	MASTER PKG
PPLRF - 01/02	104.50	No.	PANEL LOCK 22.5 mm	25	600
PPLRF - T1	124.30	No.	KNOB LOCK 22.5 mm	25	600

PANEL LOCK ACCESSORIES (22.5mm SERIES)



PPLK-U5




PPLKU



PPLPPL1



PPLH



PI01



PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PPLH	7.50	No.	PANEL LOCK PULLING HANDLE	100	3000
PPLPPL1	20.00	No.	PAD LOCK ARRANGEMENT	100	3000
PPLC	20.00	NO.	IP65 PROTECTION COVER	100	3000
PI01	100.00	No.	OPEN CLOSE LEGEND STICKER	100	2400
PPLK-U	21.50	No.	PANEL KEY U-TYPE FOR PPLP01/02	100	2400
PPLK-U5	23.00	No.	PANEL KEY FOR PPLP05	100	3000

PANEL LOCK 16mm

SIZE	16 mm
BODY	ZINC DIE CASTING
INSERT	ALUMINUM/ZINC PRESS DICASTING
LEVER	MS LEVER (CHROME PLATED)
CHUCKNUT	ZINC ALLOY(CHROME)
GASKET	EPDM



💡 WHY PECOX?

> Powder Coated With Chrome plating reduces risk of corrosion.

TECHNICAL DATASHEET / PACKAGING / PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PPL-S04	69.30	No.	16mm Lock with chucknut	50	1200
PPL-SC	49.50	No.	Catcher for Lock	50	1200
PPL-SH	22.00	No.	Side handle	100	3000
PPLK-S04	33.00	No.	Key for Lock	100	2400



CANOPY LOCK & HINGE

MATERIAL	ALUMINUM PRESS DIE-CASTING
COLOR	BLACK

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PCL01	1060.00	No.	CANOPY LOCK	2	50

THREE POINT LOCK-METALLIC(PUSH FIT TYPE)

MATERIAL	ALUMINIUM DIE CASTING
COLOR	BLACK



TECHNICAL DATASHEET / PACKAGING / PRICING

PRODUCT CODE	LIST PRICE (INR)	SPECIFICATION	MOUNTING ACCESSORIES	PAD LOCKING ARRANGEMENT	STANDARD PKG	MASTER PKG
P3PL03	929.00	Without Rod & Accessories	No	No	2	75
P3PL04	1260.00	With Accessories & 2 Nos x 1050mm Rod	Yes	No	2	75
P3PL04-1250	1444.00	With Accessories & 2 Nos x 1250mm Rod	Yes	No	2	75



💡 WHY PECOX?

- > A unique design, well tested to have a breaking load at 20.8 KN by Spectro Lab.
- > Mounting washers are provided for proper fastening.

LIFTING HOOK

MATERIAL	MS SHEET (ZINC PASSIVATED)
MOUNTING	CORNERS OF PANEL-FRAME

L-SHAPE - CENTRE OF PANEL-FRAME


> L-Shape is also provided for mounting in centre to the frame, if required.

TECHNICAL DATASHEET / PACKAGING / PRICING

PRODUCT CODE	LIST PRICE (Rs)	UNIT	SHEET THICKNESS (mm)	SPECIFICATION	MOUNTING HOLES DIA(mm)	STANDARD PKG	MASTER PKG
PLH50/PLH50L	95.00	Nos	5	50 19KN	12	20	120
PLH38/PLH38L	78.76	Nos	4	38	10	30	180
PLH25/PLH25L	62.26	Nos	3	25	8	40	240

THREE POINT LOCK - POLYAMIDE

MATERIAL	ENGINEERING GRADE GLASS FILLED THERMOPLASTIC
ROD TYPE	ROUND RODS
COLOR	BLACK



Extended Lever Bolt
with 3 lock nuts for
adjustment as per
door depth



Optional
Pad-Locking
arrangement



P3PL02

WHY PECOX?

- > Optional Pad Locking arrangement.
- > Extended Lever - Bolt with extra hardwares, enabling T - Lever to be adjusted as per the depth of the planet.
- > Glass filled Thermoplastic Polymer exhibits better mechanical strength compared to other plastic(PP)

TECHNICAL DATASHEET

PRODUCT CODE	LIST PRICE (INR)	UNIT	SPECIFICATION	MOUNTING ACCESSORIES	PAD LOCKING ARRANGEMENT	STANDARD PKG	MASTER PKG
P3PL00	338.00	No.	Without Rod & Accessories	No	Yes	2	50
P3PL01	393.00	No.	With Accessories, Without Rod	Yes	Yes	2	50
P3PL02	638.00	No.	With Accessories & 2 No. x 1050mm Rod	Yes	Yes	2	50
P3PL02-1250	705.00	No.	With Accessories & 2 No. x 1250mm Rod	Yes	Yes	2	50



P3PL12

THREE POINT LOCK - METALLIC

MATERIAL	ALUMINUM DIE CASTING
ROD TYPE	ROUND RODS
COLOR	BLACK

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	SPECIFICATION	MOUNTING ACCESSORIES	PAD LOCKING ARRANGEMENT	STANDARD PKG	MASTER PKG
P3PL10	885.00	Without Rod & Accessories	No	Yes	2	100
P3PL11	950.00	With Accessories & Without Rod	Yes	Yes	2	100
P3PL12	1200.00	With Accessories & 2 Nos x 1050mm Rod	Yes	Yes	2	100

3/5 POINT LOCKING-GEAR OPERATED

MATERIAL	ENGINEERING GRADE GLASS FILED THERMOPLASTIC
COLOR	BLACK
ROD TYPE	FLAT RODS

WHY PECOX?

- > Optional Pad Locking arrangement.
- > An Extended Thumb Grip.



P3PL06

Optional
Pad Locking
Arrangement

- > Lever - Bolt with extra hardwares, enabling
- > Glass filled Thermoplastic Polymer exhibits better
- > mechanical strength compared to other plastic(PP)

TECHNICAL DATASHEET

PRODUCT CODE	LIST PRICE (INR)	SPECIFICATION	CATCHERS (NO.)	MOUNTING ACCESSORIES	PAD LOCKING ARRANGEMENT	STANDARD PKG	MASTER PKG
P3PL06	975.00	With Accessories & 2 Nos x 900mm Rod	4	Yes	Yes	5	50

PANEL HINGES

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PHNSH40	29.50	Nos	MS Single Hole 40 mm	100	600
PHNDH40	30.50	Nos	MS Double Hole 40mm	100	600

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PHNDH55	35.00	Nos	MS Double Hole 55 mm	100	600
PHNDH5590	40.00	Nos	MS Double Hole 55 mm,90 DG BAND	100	600
PHNDH5090	39.00	Nos	MS Double Hole 50 mm,90 DG BAND	100	600
PHNDH60	52.00	Nos	MS Double Hole 60 mm,90 DG BAND	50	300
PHNDH90	93.00	Nos	MS Double Hole 90 mm,90 DG BAND	50	300

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PHNDB1	34.00	Nos	MS DB Hinge	100	1000

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PHNU20	24.00	Nos	MS U Type Hinge for 20 mm Depth	50	1000
PHNU25	26.50	Nos	MS U Type Hinge for 25 mm Depth	50	1000

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PHNUS	36.50	Nos	MS U Type Hinge for 20 mm Depth	50	1000

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
--------------	------------------	------	-------------	--------------	------------

PHNDB2	29.50	Nos	Die Casted Male / Female DB Hinge	100	1000
--------	-------	-----	-----------------------------------	-----	------

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
--------------	------------------	------	-------------	--------------	------------

PHN05	54.50	Nos	Die Casted Concealed Hinge	50	1000
-------	-------	-----	----------------------------	----	------

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PHN37	160.00	Nos	Die Casted Concealed Hinge 75mm	20	300

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PHN19SOSS	471.00	Nos	Stainless Steel with Square hole	10	200

Material - MS Zinc passivized
Description - Concealed Hinge



PHN-SH/DH40



PHN-DH55



PHN-DH5090/5590



PHN-DH60/90



PHN-DB1

Material - MS Zinc passivized
Description - U-type Hinge



PHNU20



PHNUS

Material - Zinc Die Casted



PHN-DB2



PHN-05



PHN-37



PHN-19SOSS

DIN RAIL CHANNELS & CUTTER




PDRRC




PDRCM


MATERIAL	COLD ROLLED STEEL
GASKET	WHITE
COLOR	ELECTRO PLATING 'TRIVELLENT BLUE'




PMCHSW3575



PMCHSW3515



PMCHSW1555



PTBCHSW3215

WHY PECOX?

> Accurate Thickness as per industry standards.

TECHNICAL DATASHEET

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	SPECIFICATION (mm)	STANDARD PKG
PMCHSW3575	112.50	Mtr	MCB Mounting Channel	35 x 7.5 x 1	100
PMCHSW357509	99.00	Mtr	MCB Mounting channel - ECO	35 x 7.5 x 0.9	100
PMCHSW3575N	120.00	Mtr	Easy Cut MCB Mounting channel	35. x 7.5 x 1	100
PMCHSW351512	210.00	Mt	Deep MCB Mounting Channel - ECO	35 x 15 x 1.2	50
PMCHSW351515	228.00	Mtr	Contactor/ MCB Mounting Channel	35 x15 x 1.5	50
PMCHSW1555	78.50	Mtr	Micro Channel	15 x 5.5 x 1	100
PTBCHSW321512	192.00	Mtr	Terminal Block Channel - ECO	32 x15 x 1.2	50
PTBCHSW321515	234.00	PC	Terminal Block Channel	32 x15 x 1.5	50
PDRRC	84000.00	PC	Universal Din Rail Cutting Tool	-	1
PDRCM	39000.00	PC	Din RailCutter for PMCHSW3575	-	1

END CLAMPS/STOPPER/SHROUDS

MATERIAL ENGINEERING GRADE THERMOPLASTIC




WHY PECOX?

> Range of Stoppers provides a Cost Advantages keeping the quality intact.



PSCUN



PECP



PSCKN



PECSM



PSCKNMLH



PTBS1

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PSCUN	12.00	No.	Polyamide Stopper (Suitable for C&G Channel)	100	2600
PECP	9.40	No.	Polyamide Stopper (Suitable for C&G Channel)	100	2400
PSCKN	8.00	No.	Polyamide Stopper Suitable for 'C' (MCB) Channel	100	4000
PECSM	8.00	No.	Polyamide Stopper Single screw (Suitable for C&G Channel)	100	2000
PSCKNMLH	20.00	No.	Polyamide Stopper for Marking Holder & Shroud	100	4000
PTBS1	70.00	No.	Polycarbonate Shroud	100	2000

SNAP FIT GROMMETS

MATERIAL	ENGINEERING GRADE THERMOPLASTIC
COLOR	RAL7035(GREY)
GASKET	EPDM



WHY PECOx?

- > It's Open & Close type grommet, with optional center knocout
- > Ip54 degree protection.

- > Compatible with both 1.6mm & 2mm thick Panel Sheet.
- > No-"Wear&Tear" due to environment as compared to rubber grommet.

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	SUITABLE FOR HOLE DIA (mm)	STANDARD PKG	MASTER PKG
PGS10	3.30	Nos	10	500	20000
PGS22	6.75	Nos	22	100	5000
PGS25	6.60	Nos	25	100	5000
PGS32	7.15	Nos	32	100	2500
PGS38	8.25	Nos	38	100	2000
PGS50	11.00	Nos	50	100	1000



WHY PECOx?

- > Thermo-Elastic material has a properly to reshape and compressed down post the wire is inserted making the panel dust and proof.

POLY-ELASTIC GROMMENTS

MATERIAL	ENGINEERING GRADE THERMOPLASTIC
COLOR	BLACK/ORANGE

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (Rs)	UNIT	SUITABLE FOR HOLE DIA (mm)	STANDARD PKG(NO.)	MASTER PKG(NO.)
PGR 38	8.25	Nos	38	100	2000

SELF ADHESIVE FOAM GASKET

MATERIAL	EVA FOAM
COLOR	BLACK
ADHESIVE	STRONG COMPOUNDED ADHESIVE

WHY PECOx?

- > Strong Adhesive.



PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	SIZE (mm)	STANDARD PKG	MASTER PKG	PRODUCT CODE	LIST PRICE (INR)	UNIT	SIZE (mm)	STANDARD PKG	MASTER PKG
PAG0310	36.20	Roll=10 mtr	10 x 3	30	360	PAG0330	108.60	Roll=10 mtr	30 x 3	10	120
PAG0312	43.21	Roll=10 mtr	12 x 3	30	360	PAG0340	145.12	Roll=10 mtr	40 x 3	7	84
PAG0315	53.73	Roll=10 mtr	15 x 3	15	180	PAG0518	50.28	Roll=5 mtr	18 x 5	15	180
PAG0318	65.38	Roll=10 mtr	18 x 3	15	180	PAG0520	58.46	Roll=5 mtr	20 x 5	15	80
PAG0320	72.40	Roll=10 mtr	20 x 3	15	180	PAG0525	69.53	Roll=5 mtr	25 x 5	12	144
PAG0325	90.49	Roll=10 mtr	25 x 3	12	144	PAG0540	111.55	Roll=5 mtr	40 x 5	7	84



PDH-1





PDH

PANEL DOOR HANDLES

MATERIAL

ENGINEERING GRADE
THERMOPLASTIC




WHY PECOX?

- > Insert have been provide to have an inter-locking.
- > Designed for proper griping & handling.



PDH90



TECHNICAL DATASHEET / PACKAGING / PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	MOUNTING DIMENSIONS C-C (mm)	STANDARD PKG	MASTER PKG
PDH	33.00	Nos	HANDLE WITHOUT INSERT	111.4	40	480
PDH-I	51.50	Nos	HANDLE WITH INSERT	111.4	40	480
PDH90	13.50	Nos	CABINET HANDLE	90	100	1200

POCKET HANDLES

MATERIAL



SNAP FIT POCKET HANDLE (FLUSH)

GASKET

BLACK & GREY(RAI7035)

COLOR

EPDM




WHY PECOX?

- > EPDM Gasket to maintain Ip54 degree protection.
- > Extra depth for perfect griping.

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	CUTOUT SIZE (mm x mm)	COLOR	STANDARD PKG	MASTER PKG
PDPH	24.00	Nos	82.03x34.62	GREY	40	480
PDPHN	24.00	Nos	82.03x34.62	BLACK	40	480



FINGER CONTACT

MATERIAL

BRASS (TINNED PLATED)

WHY PECOX?



- > Finger Contacts can be used as SPREADER LINK for Input connections from the Bus Bars/MCB/CONTACTORS to control circuit with help of snap type lugs.

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	NO. OF WAYS	MOUNTING HOLES	STANDARD PKG	MASTER PKG
PFC02	21.50	Nos	2	M8	100	NA
PFC03	24.25	Nos	3	M12	100	NA

SCREW KNOB

MATERIAL	POLYAMIDE HEAD WITH MST (ZINC PLATED) MOULDED
THREADING	
LOCKING WASHER	PVC



TECHNICAL DATASHEET / PACKAGING / PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	BOLT SIZE	BOLT LENGTH	STANDARD PKG	MASTER PKG
PSK625	8.80	Nos	M6	25	100	3000
PSK632	9.25	Nos	M6	32	100	2600
PSK638	10.00	Nos	M6	38	100	2600
PSKS225	8.80	Nos	2 SOOT	25	100	3000
PSKS232	9.25	Nos	2 SOOT	32	100	2600



WHY PECOX?

- > **Screw Knobs are moulded with Hexagonal Bolt to provide perfect grip (No Threaded Rod is used).**
- > **A unique designed PVC Washer is provided which can scale up & down easily.**





PPTB5 - 50



PPTB4 - 50



SHROUD COVER - PTBS2



STRIP TYPE POWER TERMINAL

BODY	ENGINEERING GRADE GLASS
	FILLED THERMOPLASTIC
CONTACT	BRASS
VOLTAGE	1000V
STANDARD	AS PER IEC 60947-7-1

WHY PECOX?

- > Compact design best suitable for Panel & Solar ACDB.
- > Extended Barrier Plates for providing requisite creepage distance.
- > Optional Earthing Provision.

- > **Optional Earthing Provision.**
- > **Optional Protection Cover/Shroud.**
Base Mounting provision reduces burden (weight/force) of
- > **Power Cables.**

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	FOR WIRE SIZE UPTO (sqmm)	CURRENT RATING	BOLT SIZE	STANDARD PKG	MASTER PKG
PPTB5-50	772.00	Nos	POWER TERMINAL WITH EARTHING	50	125 Amps	M6	5	60
PPTB4-50	745.00	Nos	POWER TERMINAL WITHOUT EARTHING	50	125 Amps	M6	5	60
PTBS2	105.00	Nos	SHROUD FOR PPTB	NA	NA	NA	5	60



PKNL32

PKNL63



WHY PECOX?

- > A new concept replacing the traditional design, reducing the the labour cost & time by simply masking snapfit on din rails.
- > PKNL125-250 have additional Unique Feature of universal mounting arrangement on both rails also on surface.

NEUTRAL LINK-CHANNEL MOUNTING


BODY	ENGINEERING GRADE THERMOPLASTIC
COLOR	BLACK
CONTACT	BRASS

PACKAGING & PRICING


PRODUCT CODE	LIST PRICE (INR)	UNIT	CURRENT CAPACITY	SPECIFICATION	STANDARD PKG	MASTER PKG
PKNL32	49.00	Nos	32	BRASS	50	800
PKNL63	130.00	Nos	63	BRASS	30	480

NEUTRAL LINK - BASE MOUNTING

BODY	ENGINEERING GRADE FILLED THERMOPLASTIC
CONTACTS	BRASS
COLOR	RED & BLACK



PNL32



PNL63

PNL 16



PNL 32



PNL125/ PNL200




WHY PECOX?

- > PNL16/32/63, Uniqually designed with extended side guards so that the sliding bar do not short to other links during operation.
- > No Current leakage since Glass filled Thermoplastic is adverse to moisture or humidity.
- > Double hole mounting also available in 16A & 32A.

TECHNICAL DATASHEET / PACKAGING / PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	CURRENT RATING	BOLT SIZE	STANDARD PKG	MASTER PKG
PNL16	45.00	Nos	16 Amps	M5	60	1020
PNL16DH	47.00	Nos	16 Amps	M5	60	1020
PNL32	47.00	Nos	32 Amps	M5	60	1020
PNL32DH	53.00	Nos	32 Amps	M5	60	1020
PNL63	138.00	Nos	63 Amps	M5	30	450
PNL125	225.50	Nos	125 Amps	M6	20	300
PNL150	POR	Nos	150 Amps	M6	20	100
PNL250	POR	Nos	250 Amps	M6	20	100



NEUTRAL LINK BARS

MATERIAL

ENGINEERING GRADE GLASS FILLED
THERMOPLASTIC

CURRENT RATING: 16-32 AMPS

PRODUCT CODE	LIST PRICE (INR)	SCREW SIZE	NUMBER OF WAYS	STANDARD PKG
PELB163205	25.19	M3	5	100
PELB163207	35.20	M3	7	100
PELB163209	45.30	M3	9	100
PELB163213	65.51	M3	13	100
PELB163217	85.55	M3	17	100

CURRENT RATING: 32 AMPS

PRODUCT CODE	LIST PRICE (INR)	SCREW SIZE	NUMBER OF WAYS	STANDARD PKG
PELB3205	48.36	M4	5	50
PELB3207	67.71	M4	7	50
PELB3209	87.08	M4	9	50
PELB3213	125.81	M4	13	50
PELB3217	164.53	M4	17	50
PELB3237	358.17	M4	37	50

CURRENT RATING: 63 AMPS

PRODUCT CODE	LIST PRICE (INR)	SCREW SIZE	NUMBER OF WAYS	STANDARD PKG
PELB6309	139.43	M5	9	50
PELB6313	201.43	M5	13	50
PELB6317	263.27	M5	17	50
PELB6337	572.57	M5	37	20

CURRENT RATING: 100 AMPS

PRODUCT CODE	LIST PRICE (INR)	SCREW SIZE	NUMBER OF WAYS	STANDARD PKG
PELB10013	380.00	M6	13	20
PELB10017	492.86	M6	17	20
PELB10037	1074.51	M6	37	20


NEUTRAL BASE

MATERIAL


ENGINEERING GRADE GLASS
FILLED THERMOPLASTIC

COLOR

RED, WHITE & BLACK




PELB-B2



PELB-3810

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	SUITABILITY	MOUNTING HOLE	STANDARD PKG	MASTER PKG
PELB-B2	7.90	Nos	For 32-100 Amps NEUTRAL BAR	M4	100	3000
PELB-3810	9.00	Nos	For 16/32 Amps NEUTRAL BAR	M4	100	9000



MCB COMBED BUS BARS

CONTACTS

ELECTROLYTIC COPPER

PLATING

TINNED COPPER PLATED

INSULATION

PVC

COLOR

LIGHT GREY

CURRENT

63 Amps



WHY PECO?

- > Comb bus bars are tinned plated to prevent from oxidization.
- > Electrolytic Grade of Copper provide better conductivity.
- > Pvc Insulation Provide Protection form any shock & unforeseen events.


PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	TYPE OF MCB	NO. OF MCB SHORTING	STANDARD PKG
PMSP-P	1251.00	MTR	SP	57	50
PMDP-P	2358.66	MTR	DP	28	24
PMTP-P	3758.63	MTR	TP	19	20
PMFP-P	4832.52	MTR	FP	14	12


PRODUCT CODE	LIST PRICE (INR)	UNIT	TYPE OF MCB	NO. OF MCB SHORTING	STANDARD PKG
PMSP-U	1370.00	MTR	SP	57	50
PMDP-U	2471.00	MTR	DP	28	24
PMTP-U	3937.61	MTR	TP	19	20
PMFP-U	5062.64	MTR	FP	14	12

STANDARD CONNECTION PATES

MATERIAL	ENGINEERING GRADE GLASS FILLED THERMOPLASTIC
COLOR	BASE-WHITE COVER-TRANSPARENT(CLEAR) CAPS-AS PER INTERNATIONAL STANDARDS



PTPN100



PTPN63/PKTPN63



PTSB6



PTSB4



PTP63



PDP63

WHY PECOX?

- > No current leakage since Glass filled Thermoplastic is adverse to moisture or humidity.
- > Glass filled material exhibits excellent mechanical strength making it more rigid & strong.
- > Balanced mounting design avoids breakage due to weight of cable.
- > Hexagonal mounting arrangements speeds up the fixing/ mounting process.
- > Polycarbonate Protection Cover is unbreakable & UV Stabilized.

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	CURRENT RATING	SCREW SIZE	NUMBER OF POLES	PROTECTIO COVER	MOUNTING HOLES (C-C)	STANDARD PKG	MASTER PKG
PDP63	55.00	63 Amps	M6	2	NO	59	50	600
PTP63	62.00	63 Amps	M6	3	NO	29.5	45	540
PTPN63	73.00	63 Amps	M6	4	NO	59	30	360
PKTPN63	54.00	63 Amps	M6	4	NO	59	30	360
PTSB4C	110.00	63 Amps	M6	4	YES	59	15	180
PTSB4P	123.00	63 Amps	M6	4	YES	59	15	180
PTPN100	112.00	100 Amps	M8	4	NO	155	7	210
PTSB6C	154.00	100 Amps	M8	4	YES	155	5	140
PTSB6P	167.00	100 Amps	M8	4	YES	155	5	140



INDICATING LIGHTS - FLAT TYPE

BODY	ENGINEERING GRADE THERMOPLASTIC
LENSE	DIFFUSE POLYCARBONATE
SIZE	22.5 mm SERIES

WHY PECOX?

> PICL - 22M Provides Multi-voltage option, reducing inventory.

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	VOLTAGE	COLOR	STANDARD PKG	MASTER PKG
PIL22	60.00	Nos	220V AC	R/Y/B/G/W/Amber	10	500
PIL22MV	110.00	Nos	MULTI VOLTAGE	R/Y/B/G/W/Amber	10	500
PIL22DC24	90.00	Nos	24V DC	R/Y/B/G/W/Amber	10	500

INDICATING LIGHTS - DOME TYPE

BODY	ENGINEERING GRADE THERMOPLASTIC
LENSE	DIFFUSE POLYCARBONATE
SIZE	22.5 mm SERIES



PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	VOLTAGE	COLOR	STANDARD PKG	MASTER PKG
PIL22D	60.00	Nos	220V AC	R/Y/B/G/W/Amber	10	500
PL22D MV	110.00	Nos	MULTI VOLTAGE	R/Y/B/G/W/Amber	10	500



SPACE HEATER

BODY	BLACK POWDER COATED MS SHEET
SIZE	82X43.59X38.50 mm

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	VOLTAGE	COLOR	STANDARD PKG	MASTER PKG
PKSH	287.50	Nos	110/220V AC	60/80/100 W	1	100

HRC FUSE HOLDER

MATERIAL	ENGINEERING GRADE GLASS FILLED THERMOPLASTIC
FIXED CONTACT	BRASS
MOVING CONTACT	PHOSPHOROUS BRONZE (Pb)



WHY PECOX?


- > "Pb contact" exhibits better spring action.
- > "Glass Filled Polyamide" adverse to moisture thus "Zero Current Leakage".

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	CURRENT RATING (Amps)	STANDARD PKG	MASTER PKG
PFH2032	140.80	Nos	20-32	15	300

CONICAL BUS BAR SUPPORTS

MATERIAL	ENGINEERING GRADE GLASS FILLED THERMOPLASTIC
INSERTS	MS (HEXAGONAL GROOVED) & BRASS
COLOR	RED



WHY PECOX?

- > Glass filled Thermoplastic exhibits better mechanical & Dielectric strength making it more rigid and strong as compared to Thermoset material.
- > No current leakage Since Glass filled Thermoplastic is adverse to moistures or humidity.
- > Hexagonal Multi Grooved inserts accelerates better griping as compared to round ones.
- > Insert Pull Out at force of 5.6KN, tested by Spectro labcalibrated at 50 ton U.T.M.
- > 3 CPRI - 3.3 KV tested.

ECO SERIES


TECHNICAL DATASHEET/ PRICING/ PACAGING

PRODUCT CODE	LIST PRICE (INR)	UNIT	MATERIAL	D1	DIMENSION D2	H	INSERT THREAD (A)	LENGTH (mm)	STANDARD PKG	MASTER PKG
PKBI630C**	20.50	Nos	PBT G/F	25	30	30	M6	10	60	1800
PKBI840C**	34.00	Nos	PBT G/F	33	40	40	M8	12	60	960
PKBI1050C**	52.50	Nos	PBT G/F	40	50	50	M10	14	60	360

PREMIUM SERIES

TECHNICAL DATASHEET/ PRICING/ PACAGING

PRODUCT CODE	LIST PRICE (INR)	UNIT	MATERIAL	D1	DIMENSION D2	H	INSERT THREAD (A)	LENGTH (mm)	STANDARD PKG	MASTER PKG
PBI630CN	25.00	Nos	NYLON 6 G/F	25	30	30	M6	10	60	1800
PBI840CN	46.00	Nos	NYLON 6 G/F	33	40	40	M8	12	60	960
PBI1050CN	82.00	Nos	NYLON 6 G/F	40	50	50	M10	14	60	360




FR LS ZH

HEXAGONAL BUS BAR SUPPORTS

MATERIAL	ENGINEERING GRADE FILLED THERMOPLASTIC
INSERTS	MS(HEXAGONAL-MULTI- GROOVED)
COLOR	WHITE

WHY PECOX?

- > Glass filled Thermoplastic exhibits mechanical & Dielectric strength making it more rigid and strong as compared to Thermoset material.
- High Voltage 3.3KV Passed & Tested by CPRI, Noida Report
- > No- CPRI RT LHV2017 T102.



TECHNICAL DATASHEET/ PRICING/ PACAGING

PRODUCT CODE	LIST PRICE (INR)	UNIT	D1	DIMENSION (FF)	H	H1	W	INSERT THREAD (A)	LENGTH (mm)	STANDARD PKG	MASTER PKG
PBI415H	27.00	Nos	11.5	14	15	5.5	4	M4	5	100	2000
PBI630H	39.00	Nos	26	30	30	11	8	M6	10	50	1500
PBI830H	49.00	Nos	26	30	30	11	8	M8	12	50	1500
PBI840H	68.50	Nos	40	45	40	15	9.5	M8	12	45	540
PBI1050H	99.00	Nos	40	50	50	20	10	M10	14	60	360

NOTE : FR MATERIAL ALSO AVAILABLE FOR ALL BUS BAR SUPPORT @ 30% EXTRA ON LIST PRICE
CPRI Short Circuit Tested at 65KA






P-SERIES BUS BAR SUPPORTS

MATERIAL	ENGINEERING GRADE GLASS FILLED THERMOPLASTIC
INSERTS	MS (MULTI GROOVED-HEXAGONAL)
COLOR	OFF-WHITE

WHY PECOX?

- > Based on the fundamental of Civil & Electrical engineering.
- > It can be fitted/tighten well with the Spanners.
- > Glass filled Thermoplastic exhibits excellent mechanical & Dielectric strength making it more rigid and strong
- No current leakage Since Glass filled Thermoplastic is adverse to moisture or humidity.



TECHNICAL DATASHEET/ PRICING/ PACAGING


PRODUCT CODE	LIST PRICE (INR)	UNIT	D1	D2	H1	H	INSERT SIZE	INSERT LENGTH	SUGGESTED SPANNER SIZE	STANDARD PKG	MASTER PKG
PBI415P	27.00	Nos	14	13	4	15	M4	5	NA	100	2000
PBI625P	34.00	Nos	25	22	6	25	M6	8	26	60	1680
PBI630P	34.00	Nos	29	26	6	30	M6	8	26	60	1680
PBI830P	45.00	Nos	29	26	6	30	M8	10	36	60	1680
PBI840P	50.50	Nos	41	36	8	40	M8	10	36	45	540
PBI1050P	84.00	Nos	50	43	10	50	M10	12	NA	60	300

L SUPPORT

MATERIAL	ENGINEERING GRADE GLASS FILLED THERMOPLASTIC
COLOR	OFF WHITE(NATURAL)

WHY PECOX?

- > L - Support are Uniquely designed with mounting hole on the base & two holes have provision & side for easy & standard mounting.



PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	SPECIFICATION H (mm)	MOUNTING HOLE	STANDARD PKG	MASTER PKG
PLS85	40.40	Nos	85	M8	40	480
PLS105	52.50	Nos	105	M8	40	480
PLS125	60.90	Nos	125	M8	40	480
PLS150	POR	Nos	150	M10	40	480








GRIP TYPE SUPPORT (SNAP-FIT-TYPE)

MATERIAL	ENGINEERING GRADE GLASS FILLED THERMOPLASTIC
COLOR	OFF WHITE(NATURAL)

WHY PECOX?

- > Glass filled Thermoplastic exhibits excellent mechanical & Dielectric strength making it more rigid & strong.
- > Snap Fit design Saves Labour Cost.




TECHNICAL DATASHEET/ PRICING/ PACAGING

PRODUCT CODE	LIST PRICE (INR)	UNIT	SPECIFICATION	MOUNTING DIMENSIONS HOLE (C TO C) mm	SLOTS (C TO C) mm	STANDARD PKG	MASTER PKG
PAGP407	45.50	Nos	6mm x 4 run	30	54.4	60	720
PAGP307	42.50	Nos	6mm x 3 run	20	45.3	60	720
PAGP210	42.50	Nos	10mm x 2 run	20	45.3	60	720


NOTE : FR MATERIAL ALSO AVAILABLE FOR ALL BUS BAR SUPPORT @ 30% EXTRA ON LIST PRICE
CPRI Short Circuit Tested at 65KA

BUS BAR FINGER SUPPORT

MATERIAL	ENGINEERING GRADE GLASS FILLED THERMOPLASTIC
COLOR	WHITE



TECHNICAL DATESHEET PACKAGING & PRICING



PRODUCT CODE	LIST PRICE (INR)	UNIT	DIMENSION									STANDARD PKG	MASTER PKG
			A	B	C	D	E	F	G	H	I		
PFS-1106K	60.00	Nos	7	70	40	20	20	NA		70		20	500
PFS-1110K	60.00	Nos	11	70	40	20	20	NA		70		20	500
PFS-1112K	60.00	Nos	13.5	70	40	20	20	NA		70		20	500
PFS-1206K	60.00	Nos	7	70	40	20	20	5.6		70		20	500
PFS-1210K	60.00	Nos	11	70	40	20	20	9		70		20	500
PFS-1212K	60.00	Nos	13.5	70	40	20	20	11		70		20	500
PFS-1306K	60.00	Nos	7	70	40	20	20	5.4		70		20	500
PFS-3310K	110.00	Nos	11	130	80	20	20	8.6		70		10	500
PFS-3312K	110.00	Nos	13.5	130	80	20	20	11		70		10	500
PFS-2406K	110.00	Nos	7	130	80	20	20	5.6		70		10	500
PFS-3410K	110.00	Nos	11	130	80	20	20	9.6		70		10	500
PFS-3412K	110.00	Nos	13.5	130	80	20	20	11.6		70		10	500




SINGLE POLE SUPPORT SYSTEM


MATERIAL	ENGINEERING GRADE GLASS FILLED THERMOPLASTIC
COLOR	OFF WHITE(NATURAL), RED, BLACK, YELLOW, BLUE

WHY PECO?

- > Glass filled Thermoplastic exhibits excellent mechanical & Dielectric strength making it more rigid and strong as compared to Thermoset material.
- > No current leakage Since Glass filled Thermoplastic is adverse to moisture or humidity.
- > Hexagonal Mounting Arrangements.



PSP-30



PSP-35

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	SPECIFICATION	STANDARD PKG	MASTER PKG
PSP30 R	10.00	Nos	Single Support 30mm Height (Red)	90	1680
PSP30 W/Y/B/BLK	14.50	Nos	Single Support 30mm Height (White/yellow/Blue/Black)	90	1680
PSP35 R	22.50	Nos	Single Support 35mm Height (Red)	70	350
PSP35 W/Y/B/BLK	31.50	Nos	Single Support 35mm Height (White/yellow/Blue/Black)	70	350

NOTE : FR MATERIAL ALSO AVAILABLE FOR ALL BUS BAR SUPPORT @ 30% EXTRA ON LIST PRICE

CPRI Short Circuit Tested at 65KA



WIRE SLEEVES/ TUBE

MATERIAL
COLOR

PVC
RED/ YELLOW/ BLUE/ BLACK

WHY PECOx?

- > Flame Retardant grade V2 tested by Spectro Labs RoHS No.N180530010.

TECHNICAL DATASHEET

PRODUCT CODE	LIST PRICE (INR)	I.D (mm)	WALL THICKNESS (mm)	SUITABLE FOR WIRE (sqmm)	UNIT (Per Roll)	MASTER PKG
PWS3	130.35	3	0.35	1/1.5 sqmm	30 Mtr	-
PWS3.5	137.21	3.5	0.35	1.5 sqmm	30 Mtr	-
PWS4	150.93	4	0.35	2.5sqmm	30 Mtr	-
PWS5	192.00	5	0.35	4sqmm	30 Mtr	-
PWS6	240.00	6	0.4	6sqmm	30 Mtr	-
PWS7	322.45	7	0.45	10sqmm	30 Mtr	-
PWS8	384.19	8	0.45	16sqmm	30 Mtr	-
PWS9	459.66	9	0.5	16/25 sqmm	30 Mtr	-
PWS10	508.00	10	0.55	25 sqmm	30 Mtr	-
PWS11	603.74	11	0.55	25/35 sqmm	30 Mtr	-
PWS12	672.35	12	0.65	35 sqmm	30 Mtr	-
PWS13	754.67	13	0.65	35/50 sqmm	30 Mtr	-
PWS14	864.44	14	0.65	50 sqmm	30 Mtr	-
PWS15	953.63	15	0.65	70 sqmm	30 Mtr	-
PWS16	994.80	16	0.65	70 sqmm	30 Mtr	-

FERRULING SLEEVES/TUBE

MATERIAL
COLOR

PVC
WHITE/YELLO(OPTIONAL)

WHY PECOx?

- > Flame Retardant grade V2 tested by spectro Labs RoHS No. N180530010.
- > Box Packing refrains sleeves from being tangled & protects from dust & other particles.
- > Ferruling Sleeves Comply to RoHS directives.



PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	STANDARD PKG	MASTER PKG
PPT2.5	515.00	MTR	Suitable for 0.5 sqmm wire	100 Mtr	22
PPT3.2	577.00	MTR	Suitable for 0.75/1.0 sqmm wire	100 Mtr	22
PPT3.5	603.00	MTR	Suitable for 1/1.5 sqmm wire	100 Mtr	22
PPT4.2	742.00	MTR	Suitable for 2.5 sqmm wire	100 Mtr	22
PPT5.2	827.00	MTR	Suitable for 4 sqmm wire	100 Mtr	22
PPT5.5	922.00	MTR	Suitable for 4/6 sqmm wire	100 Mtr	22
PPT6	970.00	MTR	Suitable for 6 sqmm wire	50 Mtr	22
PPT7	991.00	MTR	Suitable for 10 sqmm wire	50 Mtr	22

HEAT SHRINKABLE BUS BAR SLEEVES

MATERIAL

PVC

COLOR

RED/YELLOW/BLUE/BLACK/GREEN



WHY PECO?

> Heat Shrinkable Bus Bar Sleeves Complies to RoHS directives tested by S6S.

PREMIUM SERIES

THICKNESS - 160 to 170 MICRONS/ PRICING PACKAGING

PRODUCT CODE	LIST PRICE (Rs)	UNIT	SUITABLE FOR BUS BAR (sqmm)	LAY FLAT SIZE In mm	STANDARD PACKING
PHS 20	11.34	Per Mtr	12x3, 10x6	20	50 Mtr
PHS 25	11.17	Per Mtr	15x3, 12x6	25	50 Mtr
PHS 30	12.63	Per Mtr	20x3, 18x6, 16x3	30	50 Mtr
PHS 35	12.95	Per Mtr	25x3, 20x6	35	50 Mtr
PHS 41	14.90	Per Mtr	25x6, 25x9	41	50 Mtr
PHS 48	17.64	Per Mtr	30x10, 30x6, 25x12	48	50 Mtr
PHS 55	19.90	Per Mtr	38x6, 30x12	55	50 Mtr
PHS 61	22.17	Per Mtr	40x10, 40x6, 38x12, 38x9	61	50 Mtr
PHS 73	26.88	Per Mtr	50x6	73	50 Mtr
PHS 81	29.46	Per Mtr	50x12, 50x10	81	50 Mtr
PHS 93	34.00	Per Mtr	75x6	93	50 Mtr
PHS 103	39.82	Per Mtr	75x12	103	50 Mtr
PHS 110	42.49	Per Mtr	90x2, 90x6	110	50 Mtr
PHS 128	49.38	Per Mtr	100x9, 100x6,	128	50 Mtr
PHS 140	53.92	Per Mtr	100x12	140	50 Mtr
PHS 170	65.90	Per Mtr	125x10, 125x6	170	50 Mtr
PHS 190	73.50	Per Mtr	150x12, 150x10, 150x6	190	50 Mtr
PHS 210	81.27	Per Mtr	175x12, 175x10, 175x6	210	50 Mtr
PHS 230	88.73	Per Mtr	200x12	230	50 Mtr

P Konnect- Eco Series

THICKNESS - 140 to 150 MICRONS/ PRICING PACKAGING

PRODUCT CODE	LIST PRICE (Rs)	UNIT	SUITABLE FOR BUS BAR (sqmm)	LAY FLAT SIZE In mm	STANDARD PACKING
PKHS 20	6.00	Per Mtr	12x3, 10x6	20	50 Mtr
PKHS 25	6.27	Per Mtr	15x3, 12x6	25	50 Mtr
PKHS 30	7.60	Per Mtr	20x3, 18x6, 16x3	30	50 Mtr
PKHS 35	8.80	Per Mtr	25x3, 20x6	35	50 Mtr
PKHS 41	10.45	Per Mtr	25x6, 25x9	41	50 Mtr
PKHS 48	12.10	Per Mtr	30x10, 30x6, 25x12	48	50 Mtr
PKHS 55	14.00	Per Mtr	38x6, 30x12	55	50 Mtr
PKHS 61	15.40	Per Mtr	40x10, 40x6, 38x12, 38x9	61	50 Mtr
PKHS 73	18.45	Per Mtr	50x6	73	50 Mtr
PKHS 81	20.57	Per Mtr	50x12, 50x10	81	50 Mtr
PKHS 93	23.65	Per Mtr	75x6	93	50 Mtr
PKHS 103	26.18	Per Mtr	75x12	103	50 Mtr
PKHS 110	28.00	Per Mtr	90x2, 90x6	110	50 Mtr
PKHS 128	32.45	Per Mtr	100x9, 100x6,	128	50 Mtr
PKHS 140	35.53	Per Mtr	100x12	140	50 Mtr
PKHS 170	43.23	Per Mtr	125x10, 125x6	170	50 Mtr
PKHS 190	48.40	Per Mtr	150x12, 150x10, 150x6	190	50 Mtr
PKHS 210	53.35	Per Mtr	175x12, 175x10, 175x6	210	50 Mtr
PKHS 230	58.85	Per Mtr	200x12	230	50 Mtr

TECHNICAL PARAMETERS

SR.NO	DESCRIPTION	TEST METHOD	RESULTS
1	Working Temperature		94.73 C
2	Dielectric Strength	4STMD149	15kV/mm
3	Insulation Resistance		20x10
4	Tensile Strength	ASTMD638	397 kg/cm2
5	Ultimate Elongation	ASTMD638	12.1%
6	Shrinking Temperature	ASTME28	150-155 C

SELF-LOCKING NON-RELEASABLE CABLE TIE



MATERIAL

NYLON-66

COLOR

BLACK/WHITE

WHY PECOX?

> Low Smoke Halogen Free (LSZH) Cable ties make very low levels of smoke and toxic fumes when burnt.

> Ziplock Packing stabilizes the hydrophobicity impact on cable ties helps in retaining the moisture during storage for later use making the cables ties flexible for installation .

PREMIUM SERIES

TECHNICAL DATASHEET/ PRICING/ PACAGING

PRODUCT CODE	LIST PRICE (INR)	NOMINAL OVERALL LENTH (mm)	STRAP WIDTH (mm)	MAX BUNDLE CABLE DIA (mm)	MIN LOOP TENSILE STRENGTH		STANDARD PKG	MASTER PKG
					kgl	lbs		
PCT10025	478.46	100	2.5	20	8	18	1000	65
PCT10025S	53.36	100	2.5	20	8	18	100	500
PCT15036	129.77	150	3.6	35	18	40	100	250
PCT20036	164.10	200	3.6	35	18	40	100	200
PCT25048	291.45	250	4.8	60	22.7	50	100	130
PCT30048	335.29	300	4.8	75	22.7	50	100	100
PCT40048	484.47	400	4.8	100	23	50	100	90
PCT45048	521.72	450	4.8	100	23	50	100	90
PCT10025SUV	60.60	100	2.5	20	8	18	100	500
PCT15036UV	148.40	150	3.6	35	18	40	100	250
PCT20036UV	187.83	200	3.6	35	18	40	100	200
PCT25048UV	333.81	250	4.8	60	22.7	40	100	130
PCT30048UV	384.18	300	4.8	75	22.7	50	100	100
PCT40048UV	538.32	450	4.8	100	23	50	100	90
PCT45048UV	601.14	450	4.8	100	23	50	100	90

P Konnect- Eco Series

TECHNICAL DATASHEET/ PRICING/ PACAGING

PRODUCT CODE	LIST PRICE (INR)	NOMINAL OVERALL LENTH (mm)	STRAP WIDTH (mm)	MAX BUNDLE CABLE DIA (mm)	MIN LOOP TENSILE STRENGTH		STANDARD PKG	MASTER PKG
					kgl	lbs		
PKCT10018	30.00	100	1.8	20	8	18	100	500
PKCT10025	37.00	100	2.5	20	8	18	100	500
PKCT15036	92.00	150	3.6	35	18	40	100	250
PKCT20036	111.00	200	3.6	35	18	40	100	200
PKCT20048	148.00	200	4.8	35	18	40	100	200
PKCT25029	118.00	250	2.9	60	22.7	50	100	130
PKCT25036	146.00	250	3.6	60	22.7	50	100	130
PKCT25048	194.00	250	4.8	60	22.7	50	100	130
PKCT30029	143.00	300	2.9	75	22.7	50	100	100
PKCT30036	188.00	300	3.6	75	22.7	50	100	100
PKCT30048	250.00	300	4.8	75	22.7	50	100	100

NOTE - * PRODUCTS ARE AVAILABLE IN P-KONNECT BRAND(AN ECO-SERIES OF PECOX)


TIE MOUNTS



PTMS1



PTML1



PTM25



PTMF1



TECHNICAL DATASHEET/ PRICING/ PACKAGING

PRODUCT CODE	LIST PRICE (INR)	UNIT	DESCRIPTION	A(mm)	B(mm)	LENGTH (mm)	STANDARD PKG	MASTER PKG
PTM19	4.00	Nos	TIE MOUNTS - STANDARD	19	19	NA	100	6000
PTM25	5.40	Nos	TIE MOUNTS - STANDARD	25	25	NA	100	6000
PTML1	13.80	Nos	LADDER TYPE	20	29.2	84	50	3000
PTMF1	12.70	Nos	FLAT TYPE	24.7	29.7	14.4	50	3000
PTMS1	5.25	Nos	SCREW TYPE	NA	NA	NA	100	3000


NYLON POLYIMIDE FLEXIBLE CONDUITS

MATERIAL

PA 6

COLOR

BLACK




WHY PECO?

- > Best Premium quality of PA6, provides flexibility along with mechanical strength.

TECHNICAL DATESHEET PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	INNER DIAMETER D1(mm)	OUTER DIAMETER D2(mm)	BENDING RADIUS R(mm)	STANDARD PKG	MASTER PKG
PPCPG-7	25.00	Nos	6.5	10	20	100	30
PPCPG-9	27.00	Nos	10	13	30	100	20
PPCPG-11	36.50	Nos	12	15.80	40	50	20
PPCPG-13.5	43.00	Nos	14	18.50	42	50	18
PPCPG-16	51.50	Nos	17	21.20	45	50	16
PPCPG-21	80.00	Nos	23	28.50	55	50	10
PPCPG-29	103.00	Nos	29	34.50	60	25	10
PPCPG-36	154.00	Nos	36	42.50	65	25	8
PPCPG-48	300.00	Nos	48	54.50	80	25	5



CONDUIT GLANDS

MATERIAL	POLYAMIDE
TEMPERATURE	MIN -40 TO MAX +105 DEGREE
PROTECTION	IP55
COLOR	BLACK

PRODUCT CODE	LIST PRICE (INR)	UNIT	AG(mm)	AG(mm) THREAD LENGTH	GL(mm)	H(mm)	STANDARD PKG	MASTER PKG
PPCGPG-7	26.00	Nos	12.3	6.5	11.5	18	100	
PPCGPG-9	29.50	Nos	15	10	11.5	19	100	
PPCGPG-11	36.00	Nos	18.4	12.5	12	23	100	
PPCGPG-13.5	40.00	Nos	20.2	14.3	12	12	100	
PPCGPG-16	43.00	Nos	22.3	17.0	13	27	100	
PPCGPG-21	55.50	Nos	28	23	13	33	100	
PPCGPG-29	62.00	Nos	36.7	29	15	35	50	
PPCGPG-36	79.00	Nos	46.7	36	15	38.5	10	
PPCGPG-48	118.50	Nos	59	53	16	39	10	



SPIRAL WRAPS

MATERIAL

PVC

COLOR

NATURAL / GREY (RAL 7035)

WHY PECO?

- > Spirals are heavy duty and Comply to RoHS directives.
- > FR Grade is also available at EXTRA COST.

PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	UNIT	O.D (mm)	DESCRIPTION THICKNESS (mm)	STANDARD PKG	MASTER PKG
PSW6	260.00	Roll	6	0.5 + 5	50 Mtr	50
PSW6	260.00	Roll	9	0.5 + 5	25 Mtr	50
PSW12	438.00	Roll	12	0.6 + 5	25 Mtr	20



JUNCTION BOX


MATERIAL	THERMOPLASTIC
COLOR	RAL7035(GREY)
IP RATING	IP65
GASKET	SILICON

WHY PECO?

- > Unique Clamping Mounting Arrangements.



CLAMPS



TECHNICAL DATASHEET


Product Code	List Price (Rs)	Unit	Dimensions	Standard Packing (No)	Master Packing (No)
PJB 9040	210.00	No	100*100*65	5	230
PJB 9060	358.00	No	140*120*75	4	160
PJB 9100	523.00	No	167*125*80	4	72
PJB 9250	715.00	No	200*160*95	1	50

ACCESSORIES - PACKAGING & PRICING

PRODUCT CODE	LIST PRICE (INR)	Unit	DESCRIPTION	STANDARD PACKAGING	MASTER PACKAGING
PJBC1	25.00	Per pair	MOUNTING CLAMP		
PJBTI	100.00	No	5WAY CONNECTOR Suitable for 25.4 5qmm		

DISTRIBUTION BOXES

BASE	ENGINEERING GRADE GLASS
	FILLED THERMOPLASTIC
COVER	RAL7035
IP RATING	IP66/IP67
RASISTANCE	Ik08
THICKNESS	3 mm




TRANSPARENT LID

PRODUCT CODE	LIST PRICE (INR)	UNIT	DIMENSIONS (mm)	STANDARD PKG	MASTER PKG
PJBH181310T	468.00	Nos	180x130x100	1	50
PJBH181810T	1056.00	Nos	180x180x100	1	40
PJBH242012T	1485.00	Nos	240x200x120	1	12
PJBH282013T	1785.00	Nos	280x200x130	1	12
PJBH303015T	2330.00	Nos	300x300x150	1	8
PJBH403517T	POR	Nos	400x350x170	1	5
PJBH563818T	POR	Nos	560x380x180	1	5


WHY PECO?

- > External mounting arrangement.



OPAQUE LID

PRODUCT CODE	LIST PRICE (INR)	UNIT	DIMENSIONS (mm)	STANDARD PKG	MASTER PKG
PJBH181310O	468.00	Nos	180x130x100	1	50
PJBH181810O	1000.00	Nos	180x180x100	1	40
PJBH242012O	1485.00	Nos	240x200x120	1	12
PJBH282013O	1700.00	Nos	280x200x130	1	12
PJBH303015O	2222.00	Nos	300x300x150	1	8
PJBH403517O	POR	Nos	400x350x170	1	5
PJBH563818O	POR	Nos	560x380x180	1	5





Pecox[®]
 Quality Never Dies
 Engineered For Electrical Control Panels

Nurturing A Sustainable Growth By **REJECTING** The Use Of
SINGLE USE THERMOSET PLASTIC (DMC, SMC, MELAMINE, BAKELITE)
 Substituting It With
ENGINEERING GRADE THERMOPLASTIC

**PECOX INTERNATIONAL
 PECOX ELECTRIC PVT. LTD.**

F-71/72, "RAMCHANDRA HOUSE", SECTOR - 08,
 NOIDA - 201301, UTTAR PRADESH
 0120-4098193 | +91-8368782887 | +91-8178320583
 sales@pecox.co.in | www.pecox.co.in

