


 Maximum
Demand
Controller

 Multi
Function
Meter

 Power
Factor
Control
Relays

AHF / SVG/CT's


PRICE LIST – CURRENT TRANSFORMERS FY 2024-2025 wef : 1st JUNE 2024

ENCAPSULATED CURRENT TRANSFORMER SECONDARY 5AMPS SECONDARY					
SR. NO.	RATING	DESCRIPTION	VA	MODEL	LIST PRICE
1	30/5A	CT BOX : 45 X21, BUS BAR 21MM X 11MM , BOX SIZE : 45MMX40MMX65MM CABLE : 21MM	1	TE-EN-21-30	475
2	50/5A		1	TE-EN-21-50	475
3	60/5A		1	TE-EN-21-60	475
4	75/5A		1.25	TE-EN-21-75	475
5	100/5A	CT BOX : 50X30, BUS BAR 30MM X 10MM/25MMX15MM , BOX SIZE : 50MMX30MMX70MM , CABLE: 25MM	2.5	TE-EN-30-100	475
6	125/5A		2.5	TE-EN-30-125	475
7	150/5A		2.5	TE-EN-30-150	475
8	150/5A	CT BOX : 66X42, BUS BAR : 42.5 mm X 12mm & 33mm X 22mm , BOX SIZE : 66 mm X 40mm X 79mm	3.75	TE-EN-40-150	540
9	200/5A		5	TE-EN-40-200	540
10	250/5A		5	TE-EN-40-250	540
11	300/5A		5	TE-EN-40-300	540
12	400/5A	CT BOX : 80X60, BUS BAR 60MM X 12MM/50MMX31MM , BOX SIZE : 86MMX45MMX110MM , CABLE :50MM	5	TE-EN-60-400	650
13	400/5A		5	TE-EN-60-500	650
14	500/5A		10	TE-EN-60-600	650
15	600/5A	CT BOX : 100X100, BUS BAR 100MM X 40mm , BOX SIZE : 100mmX60mmX170mm	10	TE-EN-1004-600	1200
16	600/5A		15	TE-EN-1004-800	1200
17	800/5A	CT BOX : 140X130, BUS BAR 130mm X 70mm , BOX SIZE : 140mmX60mmX185mm	15	TE-EN-1307-800	1600
18	800/5A		15	TE-EN-1307-1000	1690
19	1000/5		15	TE-EN-1307-1200	1795
20	1200/5		15	TE-EN-1307-1600	1950
21	1600/5		15	TE-EN-1307-2000	2410
22	2000/5		15	TE-EN-1307-2500	2550
23	2500/5		15	TE-EN-1307-3200	2690
24	3200/5		15	TE-EN-1307-4000	2870
25	4000/5		15	TE-EN-1307-4000	2870

NOTE : FOR CLASS 0.5 / CLASS 0.2 , PRICE TO BE TAKEN AGAINST REQUIREMENT ONLY



 Maximum
Demand
Controller

 Multi
Function
Meter

 Power
Factor
Control
Relays

AHF / SVG/CT's


TAPE WOUND CURRENT TRANSFORMER SECONDARY 5AMPS

SNO	TAPE WOUND CLASS -1.0	BURDEN			
	RATIO AMPS	VA	ID (Min) MM	OD(Max)MM	LIST PRICE
1	60/5 with primary 2 turn, 5VA	5	30	70	460
1	75/5 with primary 2 turn, 5VA	5	30	70	460
2	100/5	5	30	70	460
3	125/5	5	30	70	460
3	150/5	5	30	70	460
4	200/5	5	35	75	520
5	250/5	5	45	85	520
6	300/5	5	45	85	520
7	400/5	5	55	95	520
8	500/5	10	55	105	575
9	600/5	10	65	105	575
10	800/5	10	105x40	145x85	650
11	1000/5	10	105x40	145x85	740
12	1200/5	10	105x40	145x85	740
13	1500/5	10	105x40	145x85	950
14	1600/5	10	105x40	145x85	950
15	2000/5	15	105x50	200x100	1100
16	2500/5	15	105x50	200x100	1170
17	3000/5	15	165x80	205x125	1550
18	3200/5	15	165x80	205x125	1550
19	4000/5	15	180x90	220x135	1920
20	5000/5	15	180x90	220x135	2330
21	6000/5	15	200x100	240x140	3160

Note:- Add Extra to Net
Discounted Price
CL-0.5, Rs.100/- each ratio
CL-0.5S, Rs.300/- each ratio
CL-0.2, Rs.400/- each ratio
CL-0.2S, Rs.500/- each ratio
**** SECONDARY 1Amp CT available for Price on Request**


 Maximum
 Demand
 Controller

 Multi
 Function
 Meter

 Power
 Factor
 Control
 Relays

AHF / SVG/CT's



RESIN CAST CURRENT TRANSFORMER ,SECONDARY 5 AMPS					
SNO	RESIN CAST TYPE CT'S CLASS 1.0	BURDEN			
	RATIO AMPS	VA	ID(Min)MM	OD(Min)MM	LIST PRICE
1	5/5 TO 50/5	5	WPL	100	1200
2	60/5 TO 80/5	5	WPL	100	1330
3	50/5 , CLASS 5	3	20	80	790
4	60/5 , CLASS 5	5	20	80	790
5	75/5 , CLASS 3	5	20	80	790
6	100/5	5	30	80	790
7	125/5	5	30	80	790
8	150/5	5	30	80	790
9	200/5	5	30	80	825
10	250/5	5	35	90	825
11	300/5	5	45	90	825
12	400/5	5	55	90	825
13	500/5	5	55	90	825
14	600/5	5	65	115	825
15	800/5	10	105X40	100X155	1090
16	1000/5	10	105X40	100X155	1090
17	1200/5	10	105X40	100X155	1090
18	1500/5	10	160X70	125X220	1420
19	1600/5	10	160X70	125X220	1420
20	2000/5	15	160X70	125X220	1490
21	2500/5	15	165X80	140X220	1630
22	3000/5	15	165X80	140X220	2010
23	3200/5	15	165X80	140X220	2010
24	4000/5	15	120X175	240X200	2250
25	5000/5	15	120X175	240X200	2920
26	6000/5	15	120X175	240X200	3750

Note:- Add Extra,
CL-0.5, Rs.100/- each ratio
CL-0.5S, Rs.300/- each ratio
CL-0.2, Rs.400/- each ratio

**** SECONDARY 1Amp CT available for Price on Request**


 Maximum
Demand
Controller

 Multi
Function
Meter

 Power
Factor
Control
Relays

AHF / SVG/CT's



5A 5P10 & P.S CLASS RESIN CAST							
SNO	RATIO	BURDEN	ACURRACY	ID(Min.)	OD(Max)	PRICE FOR 5P10	PRICE FOR PS CLASS
	(Amps)	(VA)	CLASS	(mm)	(mm)		
1	5/5 TO 100/5	10	5P10	WPL	140	4500	5250
2	100/5A	5	5P10	30	125	3800	4550
3	100/5A	10	5P10	30	125	4000	4700
4	150/5A	5	5P10	30	125	3800	4550
5	150/5A	10	5P10	30	125	4000	4700
6	200/5	10	5P10	30	125	3720	4400
7	250/5	15	5P10	45	145	3400	4100
8	300/5	15	5P10	45	145	3050	3700
9	400/5	15	5P10	55	160	3050	3700
10	600/5	15	5P10	65	160	2920	3500
11	800/5	15	5P10	105*40	160*125	2920	3500
12	1000/5	15	5P10	105*40	160*125	2760	3300
13	1200/5	15	5P10	105*40	160*125	2840	3350
14	1600/5	15	5P10	160*70	240*155	2920	3390
15	2000/5	15	5P10	160*70	240*155	3070	3650
16	2500/5	15	5P10	165*80	250*165	3150	3750
17	3000/5	15	5P10	165*80	250*165	3450	4150
18	4000/5	15	5P10	120*175	290*190	3920	4700
19	5000/5	15	5P10	120*175	290*190	4550	5500
20	6000/5	15	5P10			5250	6200
VOLTAGE: 0.66/3KV FREQ : 50Hz ISF : < 5				INSULATION CLASS : E STANDARD : IS:2705 - 1992			

Price in PS CLASS For Standard VK Only		
lower then 100/5A & better accuracy select ratio from table		
Required ratio	Select ratio	Turn through centre
75/5A	300/5A	4
60/5A	300/5A	5
50/5A	250/5A	5


 Maximum
 Demand
 Controller

 Multi
 Function
 Meter

 Power
 Factor
 Control
 Relays

AHF / SVG/CT's


5A 5P10 & P.S CLASS TAPE WOUND

SNO	RATIO	BURDEN	ACURRACY	ID(Min.)	OD(Max)	PRICE FOR 5P10	PRICE FOR P.S
	(Amps)	(VA)	CLASS	(mm)	(mm)		
1	100/5	5	5P10	30	125	3300	3900
2	100/5	10	5P10	30	125	3550	4300
3	150/5	5	5P10	30	125	3300	3900
4	150/5	10	5P10	30	125	3550	4300
5	200/5	10	5P10	30	125	3150	3750
6	250/5	15	5P10	45	145	3050	3590
7	300/5	15	5P10	45	145	2650	3100
8	400/5	15	5P10	55	160	2650	3100
9	600/5	15	5P10	65	160	2420	2900
10	800/5	15	5P10	105*40	160*125	2420	2900
11	1000/5	15	5P10	105*40	160*125	2420	2750
12	1200/5	15	5P10	105*40	160*125	2420	2800
13	1600/5	15	5P10	160*70	240*155	2650	2950
14	2000/5	15	5P10	160*70	240*155	2650	3050
15	2500/5	15	5P10	165*80	250*165	2620	3150
16	3000/5	15	5P10	165*80	250*165	2890	3500
17	4000/5	15	5P10	120*175	290*190	3300	3900
18	5000/5	15	5P10	120*175	290*190	3890	4600
19	6000/5A	15	5P10	200x100		4480	5400

 VOLTAGE:
 0.66/3KV

INSULATION CLASS : E

 FREQ : 50Hz
 ISF : < 5

STANDARD : IS:2705 - 1992

Price in PS CLASS For Standard VK Only

lower then 100/5A & better accuracy select ratio from table

Required ratio	Select ratio	Turn through centre
75/5A	300/5A	4
60/5A	300/5A	5
50/5A	250/5A	5

TRINITY ENERGY SYSTEMS PVT. LTD.

 Maximum
Demand
Controller

 Multi
Function
Meter

 Power
Factor
Control
Relays

AHF / SVG/CT's



CONTROL TRANSFORMER / PT'S					
S.NO.	INPUT	OUTPUT	CAPACITY	UNIT NET PRICE	UNIT NET PRICE
				TAPE WOUND	RESIN CAST
1	415V.	110-220V.	50VA	1110	1400
2	415V.	110-220V	100VA	2070	2350
3	415V.	110-220V	150VA	2160	2450
4	415V.	110-220V	200VA	2330	2650
5	415V.	110-220V	250VA	2550	2850
6	415V.	110-220V	300VA	2750	3050
7	415V.	110-220V	400VA	3390	4110
8	415V.	110-220V	500VA	3750	4450
9	415V.	110-220V	600VA	4050	4780
10	415V.	110-220V	800VA	4550	5250
11	415V.	110-220V	1 KVA	5380	6090
12	415V.	110-220V	1.5 KVA	6530	7250
13	415V.	110-220V	2 KVA	8200	8800
14	415V.	110-220V	2.5 VA	9850	10550
15	415V.	110-220V	3 KVA	11200	11900
16	415V.	110-220V	3.5 KVA	15880	16900
17	415V	110-220V	4 KVA	16350	17100
18	415V	110-220V	5 KVA	22400	23200
19	415V	110-220V	7 KVA	23750	25000
20	415V	110-220V	6 KVA	23150	24400
21	415V	110-220V	5KVA, 3 PHASE	35600	38800
22	415V	110-220V	7.5KVA, Ph-1	24200	25500
23	415V	110-220V	7KVA, 3 PHASE	51500	55100
24	415V	110-220V	6KVA, 3 PHASE	45650	48200
25	415V	110-220V	7.5KVA, 3 PHASE	53950	57500
26	415V	110-220V	8KVA, 1 PHASE	30200	31650
27	415V	110-220V	10KVA, 3 PHASE	66550	70200
28	415V	110-220V	10KVA, 1 PHASE	34400	35650
29	415V	110-220V	15kva 3phas	73350	80800
30	415V	110-220V	15kva 1phas	39350	41850
31	415V	110-220V	20KVA, 1 PHASE	46850	49500

TRINITY ENERGY SYSTEMS PVT. LTD.

 Maximum
Demand
Controller

 Multi
Function
Meter

 Power
Factor
Control
Relays

AHF / SVG/CT's



32	415V	110-220V	20KVA, 3 PHASE	84100	89500
33	415V	110-220V	25KVA, 3 PHASE	100600	106500
34	415V	110-220V	30KVA, 3 PHASE	108200	115600
35	415V	110-220V	40KVA, 3 PHASE	122200	129600
36	415V	110-220V	50,60 KVA, 3PH	150000	162500
37	415V	110-220V	63KVA, 3 PHASE	150900	165000
38	415V	110-220V	50VA, PT, PH-3	3490	4200
39	415V	110-220V	100VA, PT, PH-3	4480	5050
40	415V	110-220V	150VA, PT, PH-3	6130	6650
41	415V	110-220V	200VA, PT, PH-3	7350	7850
42	415V	110-220V	300VA, PT, PH-3	8850	9450
43	415V	110-220V	500VA, PT, PH-3	12200	12750
44	415V	110-220V	1KVA, PT, PH-3	13750	15000
45	415V	110-220V	1.5KVA, PT, PH-3	16250	20000
46	415V	110-220V	3kva, ph-3	28200	30650
47	415V	110-220V	2.5kva, ph-3	25650	28200
48	415V	110-220V	2 kva, ph-3	23200	25650

TERMS & CONDITIONS :-

1. GST : Extra as applicable on above mentioned price list
2. All prices are listed in INR and are subject to change without prior notice.
3. Prices do not include taxes, duties, or shipping costs unless otherwise specified
4. Orders are processed upon receipt of an official purchase order.
5. Changes or cancellations to orders must be communicated in writing and are subject to approval.
6. Estimated delivery times are 3-4 weeks from the date of order confirmation.
7. Shipping costs are borne by the buyer unless otherwise agreed.
8. The seller is not responsible for delays caused by circumstances beyond their control, such as carrier delays, customs issues, or natural disasters.
9. Products are warranted against defects in materials and workmanship for 12 month from the date of delivery.